






TEST VOLTAGE: 500V	TIME CONSTANT/POWER FACTOR:	FUSE CATALOG NUMBER:
BASIS FOR DATA:		L50S 10A - 800A
		DRAWN BY: LLL DATE: 1/28/2015 REVISION: A
TIME CURRENT CHARACTERISTIC CURVES		DRAWING NO.: FCC01-L50S SHEET 2 OF 5




TEST VOLTAGE: 500V	TIME CONSTANT/POWER FACTOR:	FUSE CATALOG NUMBER:
BASIS FOR DATA:		L50S 10A - 800A
		DRAWN BY: LLL DATE: 1/28/2015 REVISION: A
TIME CURRENT CHARACTERISTIC CURVES		DRAWING NO.: FCC01-L50S SHEET 3 OF 5




TEST VOLTAGE: 500V	TIME CONSTANT/POWER FACTOR:	FUSE CATALOG NUMBER:
BASIS FOR DATA:		L50S 10A - 800A

 LITTELFUSE, INC. CHICAGO, IL. USA	DRAWN BY: LLL
	DATE: 1/28/2015
TIME CURRENT CHARACTERISTIC CURVES	REVISION: A
	DRAWING NO.: FCC01-L50S SHEET 4 OF 5



TEST VOLTAGE: 500V	TIME CONSTANT/POWER FACTOR:	FUSE CATALOG NUMBER:
BASIS FOR DATA:		L50S 10A - 800A

	DRAWN BY: LLL
	DATE: 1/28/2015
	REVISION: A
TIME CURRENT CHARACTERISTIC CURVES	DRAWING NO.: FCC01-L50S SHEET 5 OF 5