

4

3

2

1

B

B

A

A

48541-01	15	12.1	24.2	60	12805
48541	15	12.1	24.2	60	None
COLE HERSEE PART NUMBER	Key Off Timer (minutes)	12V System Disconnect Threshold (Volts)	24V System Disconnect Threshold (Volts)	Disconnect Alarm Period (seconds)	Kit

**Revision Control Record**

Rev.	Description of Change	ECN No.	Date

**SEE PAGE 1**

**Tolerances** Unless otherwise specifically noted, the following are default tolerances:  
**2-places**    **3-places**    **Angular**  
 +/- 0.02"    +/- 0.005"    +/- 1'  
 Metric: Shown in [ ] refers to equivalent English Dim Tol  
 "REF." or an Asterisk (\*) = Non-Toleranced Reference Dimension, shown for clarification purposes only.  
 NOTE: All tolerances are Non-Cumulative.

**PROPRIETARY INFORMATION** This Engineering Drawing, and the information contained herein, is proprietary to Cole Hersee Company and may not be disclosed, re-produced, or in any other way transferred or communicated to any other party without the express written consent of an authorized representative of Cole Hersee Company.

**Special Characteristics:**  
 Critical Characteristic, relating to Safety and/or Regulatory Compliance  
 Significant Characteristic relating to Process Control  
 Control Dimension relating to Form - Fit - Function as defined by Cole Hersee Company and/or the Customer

**Cole Hersee Co.**  
 20 Old Colony Ave., South Boston, MA, 02127  
 Phn: 617-268-2100 Web: www.colehersee.com

**Description:** **VOLTAGE SENSING RELAY TIMER**

**Drawing / Part No.:** **48541**    **Current Rev.:** **B**

FORM CHT-6 (2/07)

Used On or Ref.: **EX28647**

Scale: 1:1

Drawn By: **CN**

Date Drawn: **09/14/09**

**Pg. 2 of 2**

4

3

2

1

