



- NOTES:**
1. TOLERANCES PLUS OR MINUS 0.015 [0.38]
 2. CONTACT AREA SEALED TO IP67
 3. BACK OF SWITCH SEALED WHEN MATING CONNECTOR IS INSTALLED
 4. FOR RESISTIVE LOAD RATING SEE BACK OF SWITCH
 5. MATERIALS: HOUSING BLACK THERMOPLASTIC; INTERNAL STATIONARY CONTACTS COPPER
 6. SWITCH TESTED TO SAE J259.
 7. ALSO MATES WITH COLE HERSEE'S 31101 CONNECTOR ASSEMBLY
 8. PINS 1&6 CONNECTED TOGETHER INTERNALLY. PINS 4&5 CONNECTED TOGETHER INTERNALLY.
 9. SW. MUST NOT BREAK CIRCUIT OR BE DAMAGED IF TORQUED TO 15 IN-LBS [1.69Nm]
 10. IF THE APPLICATION MOUNTS THE SWITCH WITH THE LOCK CYLINDER OR LEVER APPROACHING VERTICAL, CONTACT THE FACTORY FOR AN APPLICATION REVIEW AND POTENTIAL ALTERNATE PRODUCTS BEFORE DESIGN IS SET.

Revision Control Record				Rev.	Description of Change	ECN No.	Date	Tolerances Unless otherwise specifically noted, the following are default tolerances:			PROPRIETARY INFORMATION This Engineering Drawing, and the information contained herein, is proprietary to Cole Hersee Company and may not be disclosed, re-produced, or in any other way transferred or communicated to any other party without the express written consent of an authorized representative of Cole Hersee Company.	Special Characteristics:		Cole Hersee Co. 20 Old Colony Ave., South Boston, MA, 02127 Phn: 617-268-2100 Web: www.colehersee.com	
Rev.	Description of Change	ECN No.	Date					2-places +/- 0.02"	3-places +/- 0.005"	Angular +/- 1°		<input checked="" type="checkbox"/> Critical Characteristic, relating to Safety and/or Regulatory Compliance <input checked="" type="checkbox"/> Significant Characteristic relating to Process Control <input checked="" type="checkbox"/> Control Dimension relating to Form - Fit - Function as defined by Cole Hersee Company and/or the Customer	Description: SW,ROT,IGN,PLSTC		
A	RELEASE PART	12327	10/18/12												
B	ADDED HENCOL 13; ADDED TORQUE NOTE	13181	06/28/13												
								FORM CHT-6 (2/07)	Used On or Ref.: 95060	Scale: 1:1	Drawn BY: A.VISCO	Date Drawn: 10/28/12	Pg. 1 of 1	Drawing / Part No.: 95061-36	Current Rev.: B