



| REVISION |         |                         |
|----------|---------|-------------------------|
| REV      | DATE    | DESCRIPTION             |
| A        | 6/28/22 | 525380GCP - RELEASE MRY |

APPROXIMATE SHIPPING WEIGHT: 1 FUSE / 1.7 LB.

| 1 | NO | COMPONENT NO | DESCRIPTION | QTY/M | U/M |
|---|----|--------------|-------------|-------|-----|
|---|----|--------------|-------------|-------|-----|

### BILL OF MATERIAL

|     |  |
|-----|--|
| <S> | CRITICAL CHARACTERISTIC FOR PART SAFETY/COMPLIANCE   |
| ●   | DENOTES CRITICAL CHARACTERISTICS.  |
| CPK | DENOTES CPK DIMENSIONS, -MINIMUM CPK VALUE   |
| ⊠   | DENOTES A CHARACTERISTIC THAT PROVIDES AN INDICATION OF PROCESS PERFORMANCE. PROCEDURE FOR MEASUREMENT AND TRACKING TO BE DEFINED IN LITTELFUSE INSPECTION INSTRUCTIONS. |
| CP  | DENOTES CP DIMENSIONS, -MINIMUM CP VALUE MUST BE WITHIN THE DIMENSIONAL LIMITATIONS SHOWN ON DRAWING AND INITIALLY LOCATED TO ALLOW FOR MAXIMUM TOOL LIFE.               |

**A**

|                   |                   |              |                               |
|-------------------|-------------------|--------------|-------------------------------|
| MATL SPEC         | FINISH            |              |                               |
| DRW<br>Jeff Moler | DATE<br>6/21/2022 | SCALE<br>NTS | FINISH GOOD WT<br>GRAMS/PIECE |

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN MILLIMETERS, DIMENSIONS IN BRACKETS [ ] ARE INCHES DIMENSIONING AND DO NOT INCLUDE PLATING. TOLERANCING TO BE INTERPRETED IN ACCORDANCE WITH ANSI Y14.5M-1994

|                      |  |
|----------------------|--|
| 3RD ANGLE PROJECTION |  |
|----------------------|--|

**TITLE** JTD 225-400A OUTLINE

**Littelfuse**  
CHICAGO, ILLINOIS 60631

|                      |                               |              |
|----------------------|-------------------------------|--------------|
| REVISION<br><b>A</b> | DRWG NO.<br><b>OL-0JTD400</b> | SHEET 1 OF 1 |
|----------------------|-------------------------------|--------------|