







TEST VOLTAGE: 600V		TIME CONSTANT/POWER FACTOR:	FUSE CATALOG NUMBER:
BASIS FOR DATA:		LLSRK & LLSRKID 3.5A - 600A	
 LITTELFUSE, INC. CHICAGO, IL. USA			DRAWN BY: LLL DATE: 03/14/2016 REVISION: A
PEAK LET-THRU CHARACTERISTIC CURVES			DRAWING NO.: FCC05-LSRK SHEET 2 OF 6



TEST VOLTAGE: 600V		TIME CONSTANT/POWER FACTOR:	FUSE CATALOG NUMBER:
BASIS FOR DATA:		LLSRK & LLSRKID 3.5A - 600A	
 LITTELFUSE, INC. CHICAGO, IL. USA		DRAWN BY: LLL	
		DATE: 03/14/2016	
PEAK LET-THRU CHARACTERISTIC CURVES		REVISION: A	
		DRAWING NO.: FCC05-LSRK	
		SHEET 3 OF 6	




TEST VOLTAGE: 600V		TIME CONSTANT/POWER FACTOR:	FUSE CATALOG NUMBER:
BASIS FOR DATA:			LLSRK & LLSRKID 3.5A - 600A
 LITTELFUSE, INC. CHICAGO, IL. USA		DRAWN BY: LLL	
		DATE: 03/14/2016	
PEAK LET-THRU CHARACTERISTIC CURVES		REVISION: A	
		DRAWING NO.: FCC05-LSRK	
		SHEET 4 OF 6	



TEST VOLTAGE: 600V	TIME CONSTANT/POWER FACTOR:	FUSE CATALOG NUMBER:
BASIS FOR DATA:		LLSRK & LLSRKID 3.5A - 600A
LITTELFUSE, INC. CHICAGO, IL. USA		DRAWN BY: LLL DATE: 03/14/2106 REVISION: A
PEAK LET-THRU CHARACTERISTIC CURVES		DRAWING NO.: FCC05-LSRK SHEET 5 OF 6

PEAK LET-THRU CHARACTERISTIC CURVES

FCC05-LSRK



TEST VOLTAGE: 600V	TIME CONSTANT/POWER FACTOR:	FUSE CATALOG NUMBER:
BASIS FOR DATA:		LLSRK & LLSRKID 3.5A - 600A
LITTELFUSE, INC. CHICAGO, IL. USA		DRAWN BY: LLL DATE: 03/14/2016 REVISION: A
PEAK LET-THRU CHARACTERISTIC CURVES		DRAWING NO.: FCC05-LSRK SHEET 6 OF 6

PEAK LET-THRU CHARACTERISTIC CURVES

FCC05-LSRK