





LTR	DATE	REVISION	CHK	APD
A	19/Sep/16	516415GCC-NEW RELEASE FYUE		



NO	COMPONENT NO	DESCRIPTION	QTY/M	U/M

BILL OF MATERIAL

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN MILLIMETERS.
DIMENSIONS IN BRACKETS [] ARE INCHES

UNLESS OTHERWISE SPECIFIED, DIMENSIONS DO NOT INCLUDE PLATING.

⊙ DENOTES CRITICAL CHARACTERISTICS.

CPK DENOTES CPK DIMENSIONS, -MINIMUM CPK VALUE

ST DENOTES A CHARACTERISTIC THAT PROVIDES AN INDICATION OF PROCESS PERFORMANCE. PROCEDURE FOR MEASUREMENT AND TRACKING TO BE DEFINED IN LITTELFUSE INSPECTION INSTRUCTIONS

CP DENOTES CP DIMENSIONS, -MINIMUM CP VALUE MUST BE WITHIN THE DIMENSIONAL LIMITATIONS SHOWN ON DRAWING AND INITIALLY LOCATED TO ALLOW FOR MAXIMUM TOOL LIFE

COPIES TO: MATL SPEC

1	9	18	FINISH			
2	10	19	FINISH			
3	12	20	FINISH			
4	13	21	DRW	FYUE	DATE 06/06/14	SCALE 1:1
5	14	23	CHK		DATE	SUPER DR
6	15	33	APPD		DATE	FINSH GOOD WT
7	16	43	GRAMS/PIECE			
8	17	53	GRAMS/PIECE			

TOLERANCES UNLESS OTHERWISE SPECIFIED (REF. ISO 2768-MH)

DIMENSION	0.5 - 3	3 - 6	6 - 30	30 - 120	120 - 400
TOLERANCE	+0.1	+0.1	+0.2	+0.3	+0.5

3RD ANGLE PROJECTION

TITLE GRID

METRIC COMPONENT

Littelfuse CHICAGO, USA 773-628-1000

REVISION A

DRWG. NO. OL-901-322

CAD GENERATED DRAWING - NO PENCIL CHANGES ALLOWED (rev C)