SD ATO® SERIES FUSE BLOCK WITH LED INDICATORS



880022





880023

Description

SD ATO® Fuse Blocks provide a cost effective, consolidated circuit protection solution. Designed to accept standard ATO® fuses, these products ensure the safe distribution of power throughout an application. Integrated LED blown fuse indicators allow for quick maintenance, preventing troubleshooting & equipment downtime. These products are RoHS compliant. Fuses sold seperately.

Features

- LED blown fuse indicators
- Snap-on insulating cover (included)

Ordering Information

| PART NUMBER | DESCRIPTION | PACKAGING |
|-------------|---|--------------|
| 880021 | 4 ATO® Fuse Block w/ LED | Bulk |
| 880021-BP | 4 ATO® Fuse Block w/ LED Blister Pack | Blister Pack |
| 880022 | 6 ATO® Fuse Block w/ LED | Bulk |
| 880022-BP | 6 ATO® Fuse Block w/ LED Blister Pack | Blister Pack |
| 880023 | 10 ATO® Fuse Block w/ LED | Bulk |
| 880023-BP | 10 ATO® Fuse Block w/ LED Blister Pack | Blister Pack |

Specifications

Current Rating Max: 100A
Current Rating Max Per Circuit: 30A Max

Fuse Type: ATO® Blade Fuse

Housing: PBT

Input Terminals: 10-32 Stud

Mounting Method:Bolt-Down; 4xM5Number Of Cavities:4, 6, or 10 Circuits

(varies by part number)

Output Terminals: 6.3mm Blade

Recommended Torque: 8 in-lb (0.9Nm) Max.

Temperature: -20°C to 85°C **Max Voltage Rating:** 32V DC

Applications

- Centralized distribution for accessory circuits
- Ideal solution for DIY projects

Benefits

- Centralizes wiring to a convenient location
- Insulating cover provides circuitry protection
- Continuous current rating of 100A

Related Products



SD MINI® Fuse Blocks

Designed to accept MINI® fuses.



ST ATO® Fuse Blocks (Screw Termination) Designed to accept

Designed to ac ATO® fuses.

Web Resources

Download 2D print, installation guide and technical resources at: **littelfuse.com/SD-ATO**